



Between the World  
and The Weather  
Since 1928

# Ram 32 Fiberglass Base Sheet

## PRODUCT DESCRIPTION

Ram 32 is a medium weight fiberglass mat impregnated with asphalt and fully coated on each side with a weathering grade of asphalt and surfaced with a mineral parting agent. Its inorganic fiberglass reinforcement is rot resistant and has very low moisture absorption.

## USES

Ram 32 is an economical base ply and interply sheet in built-up roofing systems and as a ply sheet in cold process built-up systems. It is ideal for application where mechanical attachment of the membrane to the substrate is required.

## STORAGE

All material should be stored on end and out of the weather. Elevate off the surface and cover with a water-proof and breathable cover.

## PACKAGING

Roll width	36 inches
Roll length	108 ft.
Roll size	324 sq.ft.
Roll weight (approx)	80 lbs.
Rolls per pallet	20
Weight per pallet	1650 lbs. (approx.)

## APPLICATION GUIDELINES

When installing Ram 32, broom the sheet into the hot bitumen or cold adhesive, making sure that the sheet is totally adhered to its substrate and laps are sealed. Cut out and repair all wrinkles, buckles and fishmouths. Provide 3 inch sidelaps and 6 inch staggered endlaps. When mechanical attachment is required, follow prescribed attachment pattern with approved fasteners.

## PHYSICAL PROPERTIES

Meets the physical properties required by ASTM D 4601, Type II specification. Classified by Underwriters Laboratories as a Type G-2 Coated Base Sheet

## APPLICATION PRECAUTIONS

- Do not apply to wet or damp surfaces
- Follow recommended application temperature
- Do not torch apply
- Avoid contact with petroleum products, oils, grease, solvents, animal fats and other solvent materials which could affect this products performance.
- Not for use with potable water collection systems.
- **READ MATERIAL SAFETY DATA SHEET BEFORE USING**
- **FOR PROFESSIONAL ROOFING CONTRACTOR USE ONLY**

## PRODUCT SAFETY INFORMATION

Ram 32 Base Sheet offers no unusual health or safety risks for a product of this nature. As with any roofing process, proper ventilation, clothing and eye protection is important.

For specific information, contact the Barrett Company for a current Material Safety Data Sheet on this product.

The user should not assume that all safety measures are indicated or that other measures may not be required.

### Note

All statements, information and data given herein are believed to be accurate and reliable, but are presented without guaranty, warranty or responsibility of any kind, expressed or implied, except as may be indicated herein. Statements or suggestions concerning possible uses of our products are made without representation or warranty that any such use is free of patent infringement and are not recommended to infringe any patent.

Revised 9/11